



BSC APB SERIES
FULLY AUTOMATIC CAROUSEL
PAPER BLISTER SEALING MACHINES



BSC16-1418-APB MACHINE

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

BSC APB SERIES

FULLY AUTOMATIC CAROUSEL *PAPER BLISTER* SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **BSC-APB series** carousel type **Blister sealers** are designed for high volume production requirements. Sixteen (16) station machines are standard; however, custom units can be manufactured with anywhere from ten (10) to twenty (20) or more stations. Standard sealing areas of 14" x 18" and 18" x 24" are offered as well as custom sizes. The **BSC series** machines may be used for conventional carded blisters, trapped blisters, club store trapped packages, full face blisters and half-clamshell styles as well as some applications using Tyvek, foils and other heat sealable lidstock. The standard **BSC series** machines feature one heated sealing station, one blister feed station, one card feed station and one finished package unload station with the remaining stations used for operator product loading stations and advanced automation such as printing, vision systems, production detection, etc.

Also see Starview's **FAB-APB Series** for rotary and **CBS-APB Series** Inline machines.

[Visit our APB website page.](#)

the **STARVIEW** **ADVANTAGE**

- A wide range of standard and custom automation features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index conveyor drive for smooth operation and position repeatability.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- Industry leading design, construction, features and customer support.



more on next page

BSC APB SERIES SPECIFICATIONS

BSC-1418 APB

Sealing fixture size	14" x 18"
Nominal sealing area:	14" x 18"
Open loading stations:	16
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	yes
Card feeder(s):	Standard
Finished package unloader:	Standard
Maximum blister depth:	3.25"
Average cycle speed:	1 – 15 cpm
Electrical:	208-230 Volts / 3 PH / 35 Amps

BSC-1824 APB

Sealing fixture size	18" x 24"
Nominal sealing area:	18" x 24"
Open loading stations:	16
Paper Blister feeder Gen 1:	yes
Paper Blister feeder Gen 2:	yes
Card feeder(s):	Standard
Finished package unloader:	Standard
Maximum blister depth:	3.25"
Average cycle speed:	1 – 12 cpm
Electrical:	208-230 Volts / 3 PH / 50 Amps 220 Volts / 3 PH / 25 Amps

Specifications and model availability are subject to change without notice.



Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.

