



CBS SERIES

FULLY AUTOMATIC INLINE BLISTER SEALING MACHINES



CBS SERIES INLINE MACHINE SHOWN WITH CARD AND BLISTER FEEDERS, OPTIONAL PRODUCT DETECTION STATION, LIGHT TOWER AND FINISHED PACKAGE UNLOADER

the STARVIEW ADVANTAGE

INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

CBS SERIES

FULLY AUTOMATIC INLINE BLISTER SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's CBS series Automated Inline Conveyor type blister sealing machines are ideal for high volume or JIT production. Given the proper conditions these machines are capable of up to 20 cycles per minute in production. Starview's automated inline conveyor blister sealing machines are built with the capability to feed blister(s), blister card(s) and discharge finished packages when proper tooling is installed. The **CBS series** machines may be used for conventional carded blisters, trapped blisters, club store trapped packages, full face blisters and half-clamshell styles as well as some applications using Tyvek, foils and other heat sealable lidstock. With multiple open loading stations these machines are ideal for automated product loading or where multiple items are to be placed in a single package. Machines with other sealing areas and different numbers of stations are also available.

Also see Starview's **FAB** Series for rotary and **BSC** Series for carousel style machines.

the STARVIEW ADVANTAGE

- A wide range of standard and custom automation features available to match customer requirements.
- Large format inline design to provide high volumes of finished packages and match linear plant workflow configurations.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- © Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index conveyor drive for smooth operation and position repeatability.
- Uses quick-change durable aluminum tooling.
- industry leading design, construction, features and customer support.



CBS SERIES — SPECIFICATIONS

	CBS30-1428
Nominal sealing area:	14" x 28"
Total no. of sealing fixtures:	30
Open loading stations:	7
Blister feeder:	Standard
Card feeder(s):	Standard
Finished package unloader:	Pick and place transfer standard / Unload flip over is optional
Maximum blister depth:	3.5"
Average cycle speed:	1 – 20 cpm
Electrical:	208-230 Volts / 3 PH / 50 Amps

Specifications and model availability are subject to change without notice.





Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.



Toll Free: 888-278-5555
www.starviewpackaging.com
sales@starviewpackaging.com
Copyright 2022 Starview Packaging Machinery, Inc.