



BSC SERIES

FULLY AUTOMATIC CAROUSEL BLISTER SEALING MACHINES



Typical BSC Series Machine

Starview Packaging Machinery, Inc.

Toll free: 1-888-278-5555 / www.starview.net

EXPERIENCE THE STARVIEW ADVANTAGE:

- A wide range of standard and custom automation features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Automatic blister feeder, card feeder & finished package unloader provide reduced labor costs.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index conveyor drive for smooth operation and position repeatability.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- Industry leading design, construction, features and customer support.

DESCRIPTION:

Starview's BSC Series carousel type **Blister sealers** are designed for high volume production requirements. Sixteen (16) station machines are standard; however, custom units can be manufactured with anywhere from ten (10) to twenty (20) or more stations. Standard sealing areas of 14" x 18" and 18" x 24" are offered as well as custom sizes. The **BSC Series** machines may be used for conventional carded blisters, trapped blisters, club store trapped packages, full face blisters and half-clamshell styles as well as some applications using Tyvek, foils and other heat sealable lidstock. The standard **BSC Series** machines feature one heated sealing station, one blister feed station, one card feed station and one finished package unload station with the remaining stations used for operator product loading stations and advanced automation such as printing, vision systems, production detection, etc.

For machines capable of extremely high finished package volumes and open stations for automation please consider Starview's **CBS Series** Inline machines.



SPECIFICATIONS:

BSC16-1418

BSC16-1824

Nominal sealing area:	14" x 18"	18" x 24"
Total no. of sealing textures:	16	16
Open loading stations:	9	9
Blister feeder:	Standard	Standard
Card feeder:	Standard	Standard
Finished package unloader:	Standard	Standard
Maximum blister depth:	3.25"	3.25"
Average cycle speed:	1 – 15 cpm	1 – 12 cpm
Electrical	208-230 Volts / 3 PH / 35 Amps	208-230 Volts / 3 PH / 50 Amps

Specifications and model availability are subject to change without notice.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



view a video about these products on



Starview Packaging Machinery, Inc.

Leading the industry

With innovative packaging machine designs for:

**Blister & Clamshell Sealing · Medical / Pharmaceutical Packaging · Stretch Pak Packaging
Skin Packaging and Die Cutting · Food Tray Packaging · Thermoforming / Vacuum Forming
Customized Packaging Equipment · Systems with Automation & Integration**

1840 St. Regis Blvd.
Dorval, Quebec H9P 1H6
Tel: 514-920-0100
Fax: 514-920-0092
Toll Free: 888-278-5555
www.starview.net
sales@starview.net