



SB, SSB & MS SERIES

GENERAL PURPOSE SHUTTLE BLISTER SEALING MACHINES



MS2-1824



SB1-1418



SB1-1012

Starview Packaging Machinery, Inc.

Toll free: 1-888-278-5555 / www.starview.net

EXPERIENCE THE STARVIEW ADVANTAGE:

- A heavy-duty industrial unit that can produce packages that look like they were produced on a high production machine.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- Large sealing area MS Series machines available to produce oversize packages such as club store trapped blister designs.
- Digital temperature controller and electronic sealing cycle timer for process repeatability.
- Industry leading design, construction, features and customer support.

DESCRIPTION:

The **SB and SSB Series** Manual Shuttle Blister Sealers are designed and built for industrial applications. These machines are simply designed for ease of operator training and operation. An efficient heating system keeps power consumption low. This series machines can adapt to seal blister packages for a wide range of products by simply changing the tooling. These systems are competitively priced making them ideal for contract packagers or low volume equipment manufacturers. The **SB and SSB Series** shuttle sealers will provide years of dependable performance with a minimum of maintenance.

MS Series manual shuttle machines are available with larger nominal sealing areas of 18 x 24 inches, 24 x 30 inches and 24 x 36 inches.

For machines capable of higher production rates please consider Starview's **RB, ERB, FAB, BSC & CBS Series**.



SPECIFICATIONS:

SB1-1012

SB1-1418

SSB2-1418

Nominal sealing area:	10" x 12"	14" x 18"	14" x 18"
Number of open stations:	1	1	1
Floor stand:	N/A	Standard	Standard
Max blister depth:	3.25"	3.25"	3.25"
Average cycle speed:	1 – 6 cpm	1 – 6 cpm	1 – 6 cpm
Electrical:	115 Volts / 1 PH / 13 Amps	208-240 Volts / 1 PH / 13 Amps	208-240 Volts / 1 PH / 13 Amps

MS2-1824

MS2-2430

MS2-2436

Nominal sealing area:	18" x 24"	24" x 30"	24" x 36"
Number of open stations:	2	2	2
Floor stand:	Standard	Standard	Standard
Max blister depth:	3.25"	3.25"	3.25"
Average cycle speed:	1 – 6 cpm	1 – 6 cpm	1 – 6 cpm
Electrical:	208-240 Volts / 3 PH / 25 Amps	208-240 Volts / 3 PH / 30 Amps	208-240 Volts / 3 PH / 40 Amps

Specifications and model availability are subject to change without notice.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



view a video about
these products on



Starview Packaging Machinery, Inc.

Leading the industry

With innovative packaging machine designs for:

Blister & Clamshell Sealing · Medical / Pharmaceutical Packaging · Stretch Pak Packaging
Skin Packaging and Die Cutting · Food Tray Packaging · Thermoforming / Vacuum Forming
Customized Packaging Equipment · Systems with Automation & Integration

1840 St. Regis Blvd.
Dorval, Quebec H9P 1H6
Tel: 514-920-0100
Fax: 514-920-0092
Toll Free: 888-278-5555
www.starview.net
sales@starview.net