



## BSC SERIES

# FULLY AUTOMATIC CAROUSEL BLISTER SEALING MACHINES



Typical BSCII Series Carousel Machine  
*shown with feeders and finished package unloader.*

**Starview Packaging Machinery, Inc.**

Toll free: 1-888-278-5555 / [www.starview.net](http://www.starview.net)

## EXPERIENCE THE STARVIEW ADVANTAGE:

- A wide range of standard and custom automation features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- Starview's exclusive hot/cold sealing press system allows plastic to plastic sealing of PVC, RPVC, PETG, RPETG, GAG PET, GRG PET and similar materials without the use of RF generators.
- AC Variable frequency precision cam index conveyor drive for smooth table operation and position repeatability.
- Automatic card feeder, front and back clamshell feeders & finished package unloader standard for high-volume clamshell packaging and reduced labor input.
- Industry leading design, construction, features and customer support.

## DESCRIPTION:

**Starview's BSCII Series** carousel type clamshell and blister sealers are designed for high volume production requirements. Sixteen (16) station machines are standard; however, units can be manufactured with anywhere from ten (10) to twenty (20) or more stations. Standard sealing areas of 14" x 18" and 18" x 24" are offered as well as custom sizes. The standard **BSCII Series** machines feature one heated sealing station, one cooling station, one bottom blister feed station, one card feed station, one top blister feed station & one finished package unload station with the remaining positions used for operator product loading and advanced automation such as printing, vision systems, product detection, etc.

The **BSCII Series** machines may be used for Plastic-to-Plastic Clamshell sealing as well as conventional carded blisters, trapped blister packages, club style trapped blister packages, full face blisters and half-clamshell styles including certain applications using Tyvek, foils and other heat sealable lidstock.



## SPECIFICATIONS:

### BSC II 16-1418

### BSC II 16-1824

<b>Nominal sealing area:</b>	14" x 18"	18" x 24"
<b>Total no. of sealing fixtures:</b>	16	16
<b>Open loading stations:</b>	7	7
<b>Bottom blister feeder:</b>	Standard	Standard
<b>Insert card feeder:</b>	Standard	Standard
<b>Top blister feeder:</b>	Standard	Standard
<b>Finished package unloader:</b>	Standard	Standard
<b>Maximum blister depth:</b>	3.0"	3.0"
<b>Max clamshell back height std:</b>	2.5"	2.5"
<b>Average cycle speed:</b>	1 – 14 cpm	1 – 12 cpm
<b>Electrical:</b>	208-230 Volts / 3 PH / 35 Amps	208-230 Volts / 3 PH / 50 Amps

*Specifications and model availability are subject to change without notice.*

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



view a video about  
these products on



## Starview Packaging Machinery, Inc.

### Leading the industry

With innovative packaging machine designs for:

**Blister & Clamshell Sealing · Medical / Pharmaceutical Packaging · Stretch Pak Packaging  
Skin Packaging and Die Cutting · Food Tray Packaging · Thermoforming / Vacuum Forming  
Customized Packaging Equipment · Systems with Automation & Integration**

1840 St. Regis Blvd.  
Dorval, Quebec H9P 1H6  
Tel: 514-920-0100  
Fax: 514-920-0092  
**Toll Free: 888-278-5555**  
**www.starview.net**  
**sales@starview.net**