



PHS SERIES

SEMI-AUTOMATIC ROTARY PLASTIC-TO-PLASTIC CLAMSHELL AND BLISTER SEALING MACHINE



**PHS8-1824
with unloader**



PHS6-1418



PHS3-1418

Starview Packaging Machinery, Inc.

Toll free: 1-888-278-5555 / www.starview.net

EXPERIENCE THE STARVIEW ADVANTAGE:

- A wide range of standard and custom features available to match customer requirements.
- ANSI Class 4 machine safety for operator protection.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- Starview's exclusive hot/cold sealing press system allows plastic to plastic sealing of PVC, RPVC, PETG, RPETG, GAG PET, GRG PET and similar materials without the use of RF generators.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Starview's exclusive selectable sealing station program allows the use of one (1) through the maximum sealing fixtures with operator selected start position from the HMI for short runs or single person operation.
- Industry leading design, construction, features and customer support.

DESCRIPTION:

Starview's PHS Series rotary type Clamshell and Blister sealers are designed for medium to higher volume production requirements. These machines may be used for Plastic-to-Plastic Clamshell sealing as well as conventional carded blisters, full face blisters and half-clamshell styles including applications using Tyvek, foils and other heat sealable lidstock. The **PHS Series** units are available in three (3), six (6) and eight (8) station designs. The three-station machines are only available with a 14" x 18" sealing area. Six and Eight station models are available in standard sealing areas of 14 x 18 and 18 x 24 inches. Larger sealing areas are available on request. The standard machines feature one heated sealing station and one cooled station with the remaining stations used for load/unload stations.

For machines capable of higher production rates and value-added automation **Starview's PHSA Rotary and BSC II Carousel** fully automatic sealers should be considered.



SPECIFICATIONS:

	PHS3-1418	PHS6-1418	PHS6-1824
Nominal sealing area:	14" x 18"	14" x 18"	18" x 24"
Number of open stations:	1	4	4
Card feeder:	Not available	Not available	Not available
Finished package unloader:	Not available	Optional-Self standing	Optional-Self standing
Max clamshell/blister depth:	3.0"	3.0"	3.0"
Max clamshell back height:	1.25"	2.0"	2.0"
Avg. cycle speed clamshell pkg:	1-6 cpm	1-12 cpm	1-12 cpm
Avg. cycle speed blister pkg:	1-8 cpm	1-15 cpm	1-15 cpm
Electrical:	208-230 Volts / 1 PH / 32 Amps	208-230 Volts / 1 PH / 32 Amps or 208-230 Volts / 3 PH / 25 Amps	208-230 Volts / 1 PH / 55 Amps or 208-230 Volts / 3 PH / 45 Amps

	PHS8-1418	PHS8-1824
Nominal sealing area:	14" x 18"	18" x 24"
Number of open stations:	5	5
Card feeder:	Optional-Self standing	Optional-Self standing
Finished package unloader:	Standard	Standard
Max clamshell/blister depth:	3.0"	3.0"
Max clamshell back height:	2.0"	2.0"
Avg. cycle speed clamshell pkg:	1-12 cpm	1-10 cpm
Avg. cycle speed blister pkg:	1-15 cpm	1-14 cpm
Electrical:	208-230 Volts / 1 PH / 40 Amps or 208-230 Volts / 3 PH / 25 Amps	208-230 Volts / 1 PH / 93 Amps or 208-230 Volts / 3 PH / 45 Amps

Specifications and model availability are subject to change without notice.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



view a video about these products on



Starview Packaging Machinery, Inc.

Leading the industry

With innovative packaging machine designs for:

Blister & Clamshell Sealing · Medical / Pharmaceutical Packaging · Stretch Pak Packaging
Skin Packaging and Die Cutting · Food Tray Packaging · Thermoforming / Vacuum Forming
Customized Packaging Equipment · Systems with Automation & Integration

1840 St. Regis Blvd.
Dorval, Quebec H9P 1H6
Tel: 514-920-0100
Fax: 514-920-0092
Toll Free: 888-278-5555
www.starview.net
sales@starview.net