



# AIMS-1215 SERIES

## **AUTOMATIC INLINE FILM TO TRAY FOOD PACKAGING MACHINES**



**AIMS-1215  
with tray feeder**

**AIMS-1215**

**Starview Packaging Machinery, Inc.**

*Toll free: 1-888-278-5555 / [www.starview.net](http://www.starview.net)*

## EXPERIENCE THE STARVIEW ADVANTAGE:

- A wide range of standard and custom features available to match customer requirements.
- Automatic tray conveyor system and optional tray feeder to reduce labor and increase machine production rates.
- Uses quick-change anodized aluminum tooling.
- Models available with and without modified atmosphere protection (MAP) capability.
- Convenient touch panel controls for operator convenience, accessibility and process repeatability.
- Automatic film feed, seal & trim and scrap rewind for clear or random print film. Registered print film feed optional.
- Stainless steel wash down construction to allow cleaning in a food handling environment.
- Industry leading design, construction, features and customer support.

## DESCRIPTION:

**Starview's AITS Series** are designed and competitively priced for "fresh counter" packaging, typically a clear or printed film to a preformed tray for food manufacturing companies, catering, grocery stores, etc. The standard **AITs Series** machines will produce only sealed packages without a modified atmosphere. The **AITs Series** is ideal for medium production. This series machines can adapt to seal for a wide range of product tray sizes by simply changing the tooling. These machines trim the film to the profile of the tray and automatically rewind the scrap web. The **AITs Series** sealers will provide years of dependable performance with a minimum of maintenance.

For machines capable of higher production rates please consider Starview's larger **AITs-1220 Series** machines. Where modified atmosphere packaging for extended shelf life is needed consider any of the machines with MAP capability.



## SPECIFICATIONS:

	<b>AITS-1215</b>	<b>AITS/MAP-1215</b>
<b>Maximum sealing area:</b>	12.2" x 15.3"	12.2" x 15.3"
<b>Number of open load stations:</b>	1	1
<b>Vacuum pump installed:</b>	N/A	Standard
<b>Profile film trim:</b>	Standard	Standard
<b>Maximum tray depth:</b>	3.9"	3.9"
<b>Registered film:</b>	Optional	Optional
<b>Standard in-feed:</b>	40.3"	40.3"
<b>Standard out-feed:</b>	20"	20"
<b>Average cycle speed no MAP:</b>	1-15 cpm	1-15 cpm
<b>Average cycle speed with MAP:</b>	N/A	1-10 cpm
<b>Electrical</b>	208-240 Volts / 3 PH / 25 Amps	208-240 Volts / 3 PH / 25 Amps

*Specifications and model availability are subject to change without notice.*

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



view a video about  
these products on



### Starview Packaging Machinery, Inc.

**Leading the industry**

**With innovative packaging machine designs for:**

**Blister & Clamshell Sealing · Medical / Pharmaceutical Packaging · Stretch Pak Packaging  
Skin Packaging and Die Cutting · Food Tray Packaging · Thermoforming / Vacuum Forming  
Customized Packaging Equipment · Systems with Automation & Integration**

1840 St. Regis Blvd.  
Dorval, Quebec H9P 1H6  
Tel: 514-920-0100  
Fax: 514-920-0092  
**Toll Free: 888-278-5555**  
**www.starview.net**  
**sales@starview.net**