



**RTS/MAP4-1015
Series**

**AUTOMATIC ROTARY
FILM TO TRAY
FOOD PACKAGING MACHINES**



Standard RTS/MAP4-1015

Starview Packaging Machinery, Inc.

Toll free: 1-888-278-5555 / www.starview.net

EXPERIENCE THE STARVIEW ADVANTAGE:

- A wide range of standard and custom features available to match customer requirements.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Standard finished package unloader increases the machine versatility and lowers labor costs.
- Uses quick-change anodized aluminum tooling.
- Includes modified atmosphere protection (MAP) capability with 3-sizes of vacuum pumps.
- Convenient touch screen controls for operator convenience, accessibility and process repeatability.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- Automatic film feed, seal & trim and scrap rewind for clear or random print film. Registered print film feed optional.
- Stainless steel wash down construction to allow cleaning in a food handling environment.
- Industry leading design, construction, features and customer support.

DESCRIPTION:

Starview's RTS/MAP Series machine are designed and competitively priced for "fresh counter" packaging, typically a clear or printed film to a preformed tray for food manufacturing companies, catering, grocery stores, etc. The **RTS/MAP Series** provides a modified atmosphere in the package prior to sealing. The **RTS/MAP Series** is ideal for medium to high production. This series machines can adapt to seal for a wide range of product tray sizes by simply changing the tooling. These machines trim the film to the profile of the tray and automatically rewind the scrap web. The **RTS/MAP Series** sealers will provide years of dependable performance with a minimum of maintenance.

For machines capable of higher production rates or the addition of inline fillers, printers, etc. please consider Starview's **AITs Series** machines.



SPECIFICATIONS:

RTS/MAP4-1015

Maximum sealing area:	10.8" x 15.7"
Number of open load stations:	1
Vacuum pump installed:	Standard
Profile film trim:	Standard
Maximum tray depth:	4.3"
Registered film:	Optional
Average cycle speed no MAP:	1 – 15 cpm
Average cycle speed with MAP:	1 – 8 cpm
Electrical	208-240 Volts / 3 PH / 32 Amps

Specifications and model availability are subject to change without notice.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



view a video about
these products on



Starview Packaging Machinery, Inc.

Leading the industry

With innovative packaging machine designs for:

Blister & Clamshell Sealing · Medical / Pharmaceutical Packaging · Stretch Pak Packaging
Skin Packaging and Die Cutting · Food Tray Packaging · Thermoforming / Vacuum Forming
Customized Packaging Equipment · Systems with Automation & Integration

1840 St. Regis Blvd.
Dorval, Quebec H9P 1H6
Tel: 514-920-0100
Fax: 514-920-0092
Toll Free: 888-278-5555
www.starview.net
sales@starview.net