



ERB/PH SERIES

SEMI-AUTOMATIC ROTARY MEDICAL & PHARMACEUTICAL PACKAGING MACHINES



ERB/PH4

with optional casters and
finished package unloader

ERB/PH6

with optional casters and
finished package unloader

Starview Packaging Machinery, Inc.

Toll free: 1-888-278-5555 / www.starview.net

EXPERIENCE THE STARVIEW ADVANTAGE:

- A wide range of standard and custom features available to match customer requirements.
- Generous use of stainless steel and powder coated steel in the structure for the most durable finish in the industry.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- On-screen temperature calibration standard with optional on-screen pressure calibration available to simplify validation using direct access validation ports.
- Precision indexing rotary table for precise sealing fixture to matching relieved face plate alignment.
- Ultra-high pressure sealing presses used in conjunction with matched aluminum tooling to give consistent sealing patterns with any heat sealable medical lidding materials. Hydro-pneumatic press available for cold seal materials.
- Industry leading design, construction, features and customer support.

DESCRIPTION:

Starview's ERB/PH Series rotary type heat sealers are designed for medium to higher volume production requirements. These machines are specifically designed for medical applications using foils, medical paper, Tyvek and other heat sealable lidstock. The ERB/PH Series units are available in four (4) and six (6) station designs. Models are available in standard sealing areas of 14 x 18 inches and 18 x 24 inches. Larger sealing areas are available on request. The standard machines feature one sealing station with the remaining stations used for operator loading and unloading.

For machines capable of higher production rates using automation please consider Starview's FAB/PH Series Rotary Sealing Machines or our CBS/PH Series inline conveyor machines.



SPECIFICATIONS:

ERB/PH4-1418

ERB/PH4-1824

Nominal sealing area:	14" x 18"	18" x 24"
Number of open stations:	3	3
Heating system:	2 Zones	2 Zones
Table Index:	Automatic	Automatic
Tyvek feeder:	Optional attached or Self-standing	Optional attached or Self-standing
Maximum tray depth:	3.0"	3.0"
Average cycle speed:	1-15 cpm	1-12 cpm
Electrical:	208-230 Volts / 1 PH / 25 Amps	208-230 Volts / 1 PH / 25 Amps

ERB/PH6-1418

ERB/PH6-1824

Nominal sealing area:	14" x 18"	18" x 24"
Number of open stations:	5	5
Heating system:	2 Zones	2 Zones
Table Index:	Automatic	Automatic
Tyvek feeder:	Optional attached or Self-standing	Optional attached or Self-standing
Maximum tray depth:	3.0"	3.0"
Average cycle speed:	1-15 cpm	1-12 cpm
Electrical:	208-230 Volts / 1 PH / 55 Amps or 208-230 Volts / 3 PH / 40 Amps	208-230 Volts / 1 PH / 55 Amps or 208-230 Volts / 3 PH / 40 Amps

Specifications and model availability are subject to change without notice.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.

view a video about
these products on



Starview Packaging Machinery, Inc.

Leading the industry

With innovative packaging machine designs for:

Blister & Clamshell Sealing · Medical / Pharmaceutical Packaging · Stretch Pak Packaging
Skin Packaging and Die Cutting · Food Tray Packaging · Thermoforming / Vacuum Forming
Customized Packaging Equipment · Systems with Automation & Integration

1840 St. Regis Blvd.
Dorval, Quebec H9P 1H6
Tel: 514-920-0100
Fax: 514-920-0092
Toll Free: 888-278-5555
www.starview.net
sales@starview.net

