



FAB4 SERIES FULLY AUTOMATIC ROTARY BLISTER SEALING MACHINES



FAB4-1216
SHOWN WITH OPTIONAL LIGHT TOWER CASTERS,
CONVEYOR AND ACCUMULATION TABLE



FAB4-1012
SHOWN WITH OPTIONAL CASTER

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@www.starviewpackaging.com

FAB4 SERIES

FULLY AUTOMATIC ROTARY BLISTER SEALING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **FAB4 series** fully automated rotary type blister sealing machines are ideal for high volume or JIT production. Given the proper conditions these machines are capable of up to 20 cycles per minute in production. The **FAB4 series** automated rotary blister sealing machines are built with the capability to feed blister(s), blister card(s) and discharge finished packages when proper tooling is installed. These machines may be used for conventional carded blisters, full face blisters and half-clamshell styles. The four-station models have 10" x 12" and 12" x 16" sealing areas.

For machines capable of higher production rates and advanced automation features please consider Starview's **FAB6 & 8 Series, BSC Series Carousel & CBS Series Inline** machines.



FAB4-1012-CE
SHOWN WITH OPTIONAL WHITE FINISH

the STARVIEW ADVANTAGE

- Compact size and automatic card and blister feeding with finished package unloading make this series ideal for single operator work-cell operation.
- ANSI Class 4 machine safety for operator protection.
- Right-hand or left-hand unloader versions available to match production work flow.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- AC Variable frequency precision cam index rotary table drive for smooth table operation and position repeatability.
- Electrically driven automatic blister feeder, card feeder & finished package unloader greatly reduce machine air consumption.
- Uses quick-change cost effective multi-ply hardwood or durable aluminum tooling.
- Industry leading design, construction, features and customer support.



Markets we serve everyday

more on next page

FAB4 SERIES SPECIFICATIONS

	FAB4-1012	FAB4-1216
Nominal sealing area:	10" x 12"	12" x 16"
Open loading stations:	1	1
Blister feeder:	Standard	Standard
Card feeder(s):	Standard	Standard
Finished package unloader:	Standard	Standard
Maximum blister depth:	3.25"	3.25"
Average cycle speed:	1 – 20 cpm	1 – 20 cpm
Electrical:	220 Volts / 1 PH / 25 Amps	220 Volts / 3 PH / 25 Amps

Specifications and model availability are subject to change without notice.



Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2022 Starview Packaging Machinery, Inc.

