



DIE CUTTING EQUIPMENT

the **STARVIEW ADVANTAGE**

ROLLER AND AUTOMATIC SLITTING
DIE CUTTING MACHINES



STANDARD SDC-24
SLITTER-DIE CUTTER

RP28-2

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@www.starviewpackaging.com

DIE CUTTING MACHINES

ROLLER AND AUTOMATIC SLITTING DIE CUTTING MACHINES

YOUR MARKET ... OUR SOLUTIONS

Starview's **Die Cutting machines** are available in manual to semi-automatic to fully automatic machines that includes our traditional roller die cutter models and our recently updated slitter die cutters.

Starview continues to update, and innovate to bring flexible, easy to operate, high value to investment machine options to the packaging market for over 35 years.

the **STARVIEW** **ADVANTAGE**

- A simple and economical solution to provide steel rule die cutting for skin boards, thermoformed parts, gaskets, etc.
- Simple controls for ease of operation.
- Utilizes standard low-cost steel rule cutting dies for quick and easy changeover.
- Starview exclusive soft-start and soft-stop solid state drive system for longer system life.
- Rolls reverse for cutting in both directions to increase productivity.
- Larger than industry normal precision ground pressure rollers for minimal deflection during cutting.
- In automatic machines, two sizes available to handle 18" through 30" wide skin boards.
- A single machine able to cut, slit or perforate with products facing up on skin boards.
- Cross-cut is programmable and slitting wheels are moveable for altering cutting pattern without having to make new cutting dies.
- Linear skin board travel facilitates production work flow.
- Small footprint to conserve floor space.
- Industry leading design, construction, features and customer support.



DIE CUTTING MACHINES

MODELS COMPARAISON

Click on miniature for more information about that series of Packaging Machines



	RP	SDC
Type of machine:	Die cutting for skin board, thermoforming etc.	Automatic Slitting
Type of production:	trimming	cut, slit perforate
Maximum width:	23" to 55"	24" or 30"
Maximum length:	Unlimited	40"
Maximum height:	6.0"	5.0"
Driven rolls:	Lower or Upper & Lower	N/A
Diameter-pressure rolls:	5.5" or 7.5"	N/A
Motor horsepower:	1, 2 or 3	N/A
Slitting:	N/A	(5) single-cut standard
Cross cut style:	N/A	10,000 lbs.
Hang hole punching:	N/A	Available
Average cycle speed:	1 – 4 cpm	1 – 4 cpm
Electrical:	208-240 Volts / 3 PH / 8 Amps, 15 Amps or 20 Amps	208-240 Volts / 3 PH / 10 Amps



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.StarviewPackaging.com

sales@StarviewPackaging.com

Copyright 2026 Starview Packaging Machinery, Inc.





RP SERIES ROLLER DIE CUTTING MACHINE



RP40-2
SEMI-AUTOMATIC ROLLER DIE CUTTER



RP22-1



RP28-2

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@www.starviewpackaging.com

RP SERIES

ROLLER DIE CUTTING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **RP Series** Roller Die Cutters are versatile enough to handle a full range of low to high production requirements. These machines will trim a wide range of materials such as skin packaged products, thermoformed products, cork, rubber and any other application where a steel rule die can be utilized.

Single driven pressure roller machines **RP-1 Series** may be used where cutting registration is not critical and cutting pressures are low. Double driven **RP-2 Series** pressure roller machines should be used where registration is important or for higher cutting pressures.

For applications where it is advantageous to cut with the product facing up or to have the ability to program cutting without manufacturing steel rule dies for each configuration please consider our **SDC Series** Slitter/Die Cutters.



RP54-2

the STARVIEW ADVANTAGE

- A simple and economical solution to provide steel rule die cutting for skin boards, thermoformed parts, gaskets, etc.
- Simple controls for ease of operation.
- Utilizes standard low-cost steel rule cutting dies for quick and easy changeover.
- Starview exclusive soft-start and soft-stop solid state drive system for longer system life.
- Rolls reverse for cutting in both directions to increase productivity.
- Larger than industry normal precision ground pressure rollers for minimal deflection during cutting.
- Industry leading design, construction, features and customer support.



Markets we serve everyday

more on next page

RP SERIES

SPECIFICATIONS

	RP22-1
Maximum die width:	23.0"
Maximum die length:	Unlimited with support
Max die height std:	6.0"
Driven rolls:	Lower
Diameter-pressure rolls:	5.5"
Motor horsepower:	1
Average cycle speed:	1 – 4 cpm
Electrical:	208-240 Volts / 3 PH / 8 Amps

	RP28-2
Maximum die width:	29.0"
Maximum die length:	Unlimited with support
Max die height std:	6.0"
Driven rolls:	Upper & Lower
Diameter-pressure rolls:	7.5"
Motor horsepower:	2
Average cycle speed:	1 – 4 cpm
Electrical:	208-240 Volts / 3 PH / 15 Amps

	RP34-2
Maximum die width:	35.0"
Maximum die length:	Unlimited with support
Max die height std:	6.0"
Driven rolls:	Upper & Lower
Diameter-pressure rolls:	7.5"
Motor horsepower:	2
Average cycle speed:	1 – 4 cpm
Electrical:	208-240 Volts / 3 PH / 15 Amps

	RP40-2
Maximum die width:	41.0"
Maximum die length:	Unlimited with support
Max die height std:	6.0"
Driven rolls:	Upper & Lower
Diameter-pressure rolls:	7.5"
Motor horsepower:	2
Average cycle speed:	1 – 4 cpm
Electrical:	208-240 Volts / 3 PH / 15 Amps

	RP54-2
Maximum die width:	55.0"
Maximum die length:	Unlimited with support
Max die height std:	6.0"
Driven rolls:	Upper & Lower
Diameter-pressure rolls:	7.5"
Motor horsepower:	3
Average cycle speed:	1 – 4 cpm
Electrical:	208-240 Volts / 3 PH / 20 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2026 Starview Packaging Machinery, Inc.





SDC SERIES AUTOMATIC SLITTING DIE CUTTING MACHINE



STANDARD SDC-24 SLITTER-DIE CUTTER

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@www.starviewpackaging.com

SDC SERIES

AUTOMATIC SLITTING DIE CUTTING MACHINE

YOUR MARKET ... OUR SOLUTIONS

Starview's **SDC Series** combination slitting and die cutting machines are a cost effective way to trim skin packaged products. These machines eliminate the use of individual steel rule dies for each different package configuration. The SDC Series features an intermittent motion in-feed conveyor to transfer skin boards to the die cutting and slitting area. Circular cutters running against a hardened steel roller are used to slit parallel to the movement of the skin board. A pneumatic press activates the cross cutting perpendicular to the movement of the skin board. The interval at which this cut is made is programmable from the touch screen operator interface panel.

Starview's **SDC Series** machines utilize photocells and clear polycarbonate guards for operator safety. To prevent damage to the cross cutting knife, the **SDC Series** machines also utilize photocells to detect products that may be in the cutting area.

For standard die cutting operations using conventional steel rule dies Starview's **RP Series** Roller Die Cutters should be considered.

the STARVIEW ADVANTAGE

- Two sizes available to handle 18" through 30" wide skin boards.
- A single machine able to cut, slit or perforate with products facing up on skin boards.
- Cross-cut is programmable and slitting wheels are moveable for altering cutting pattern without having to make new cutting dies.
- Linear skin board travel facilitates production work flow.
- Small footprint to conserve floor space.
- Industry leading design, construction, features and customer support.



more on next page

SDC SERIES

SPECIFICATIONS

	SDC-24	SDC-30
Maximum skin card width:	24"	30"
Maximum skin card length:	40"	40"
Maximum product height:	5.0"	5.0"
Slitting:	(5) single-cut standard	(5) single-cut standard
Cross cut style:	10,000 lbs.	10,000 lbs.
Hang hole punching:	Available	Available
Average cycle speed:	1 – 4 cpm	1 – 4 cpm
Electrical:	208-240 Volts / 3 PH / 10 Amps	208-240 Volts / 3 PH / 10 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2026 Starview Packaging Machinery, Inc.

