



CBS/PH SERIES FULLY AUTOMATIC INLINE MEDICAL & PHARMACEUTICAL MACHINE



CBS/PH SERIES
SHOWN WITH CARD AND BLISTER FEEDERS,
OPTIONAL PRODUCT DETECTION STATION, LIGHT TOWER
AND FINISHED PACKAGE UNLOADER

EXPERIENCE
the **STARVIEW**
ADVANTAGE
INNOVATIVE PACKAGING MACHINES

Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555 www.starviewpackaging.com sales@starviewpackaging.com

CBS/PH SERIES

FULLY AUTOMATIC INLINE MEDICAL & PHARMACEUTICAL MACHINE

YOUR MARKET ... OUR SOLUTIONS

The **CBS/PH Series** inline conveyor type heat sealers are designed for high volume production requirements. These machines may be used for pharmaceutical wallet pack as well as medical device applications using medical papers, Tyvek, foils and other heat sealable lidstock. Given the proper conditions these machines are capable of up to 20 cycles per minute in production. The Automated Inline Conveyor blister sealing machines are built with the capability to feed blister(s), tray(s), card(s), Tyvek and discharge finished packages when proper tooling is installed. With seven (7) open loading stations these machines are ideal for automated product loading or where multiple items are to be placed in a single package.

Machines with other sealing areas and different numbers of stations are also available. Consider Starview's **FAB/PH Series** for automatic rotary machines.

the **STARVIEW** **ADVANTAGE**

- A wide range of standard and custom features available to match customer requirements.
- Generous use of stainless steel in the structure for the most durable finish in the industry.
- Color touch screen HMI for the ultimate in operator convenience and accessibility. Includes storage for 99 databases and on-screen data tracking.
- A Starview exclusive remote access via standard Ethernet hardwire or optional Wi-Fi router gives management access to real-time process information from the machine.
- On-screen temperature calibration standard with optional on-screen pressure calibration available to simplify validation using direct access validation ports.
- Ultra-high pressure sealing presses used in conjunction with matched aluminum tooling to give consistent sealing patterns with any heat sealable medical lidding materials. Hydro-pneumatic press available for cold seal materials.
- Precision indexing rotary table for precise sealing fixture to matching relieved face plate alignment.
- Industry leading design, construction, features and customer support.



more on next page

CBS/PH SERIES SPECIFICATIONS

	CBS/PH30-1428	CBS/PHA30-1428
Sealing area:	14" x 28"	14" x 28"
Total no. of sealing fixtures:	30	30
Open loading stations:	7	7
Heating system:	Multi Zones	Multi Zones
Blister/tray feeder:	Optional	Standard
Tyvek / Card feeder:	Standard	Standard
Finished package unloader:	Gravity drop standard / Transfer mechanism optional	Gravity drop standard / Transfer mechanism optional
Maximum blister/tray depth:	3.5"	3.5"
Average cycle speed:	1-20 cpm	1-20 cpm
Electrical:	208-230 Volts / 3 PH / 50 Amps	208-230 Volts / 3 PH / 50 Amps

Specifications and model availability are subject to change without notice.



REQUEST
A
QUOTE

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

Toll Free: 888-278-5555

www.starviewpackaging.com

sales@starviewpackaging.com

Copyright 2026 Starview Packaging Machinery, Inc.

